


EARTH OR EARTH AND ROCK, OR OTHER SUITABLE MATERIAL, ROCK SHALL NOT EXCEED 305mm(12") IN ITS LONGEST, DIMENSION




PIPE BEDDING

COMPLETE BEDDING OF CRADLED PIPE AS SHOWN ABOVE IN "PIPE BEDDING"

CONCRETE CRADLE QUANTITY

PIPE SIZE	CU. M/M.	CUYDS./FT.
203mm (8 INCH)	.080	(.032)
254mm (10 ")	.095	(.038)
305mm (12 ")	.108	(.043)
381 mm (15 ")	.143	(.057)
457mm (18 ")	.191	(.076)
533mm (21 ")	.243	(.097)
610 mm (24 ")	.301	(.120)



CONCRETE CRADLE

THIS DRAWING SUPERSEDES STANDARD DRAWING PB ENTRY NO. 81801 REVISED 9-19-75

REVISED			
BY	DATE	APP.	DATE

ADOPTED

DIRECTOR OF PUBLIC WORKS

DATE

ENTRY NO. 780891

KANSAS CITY, MISSOURI
DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION

APPROVED

CITY ENGINEER

DATE

PIPE BEDDING & CRADLE FOR SANITARY SEWER PIPE

STANDARD PLAN

PB - 2